

19

20

  
**SLASH**  
BY GiGi

RIDE



PLAY



  
**SLASH**  
BY GiGi

RIDE & PLAY

**GiGi RUF**  
OWNER · SHAPER · TESTER

## RIDE & PLAY

Snowboarding is youthful, yet it's not defined by age. The approach from edge to edge, from snow to air and all movement throughout follows no law.

It's a childish chase open to possibilities and unbound imagination. The feeling never dies, it merely refines and evolves through the ages. The board bears the platform to play, a simple toy to engage one's being and body outside.

The beauty of riding is simplicity.  
Pure. Authentic.

Neither designated nor designed by outsiders. It's a pursuit all our own. Remember that. It holds uncommon spunk and soul. This spirit lives inside every Slash craft. It's our purpose and pledge.

Our boards are built with fact, but colored by the personalities of those who use them.

*This is the realm where we ride.*

INDEX /

A TRIBE CALLED SLASH

08 - 09



SPECTRUM

10 - 13



URBAN / PARK



HAPPY PLACE

14 - 17



PARK / FREESTYLE



BRAINSTORM

18 - 21



FREESTYLE / ALL MOUNTAIN



ATV

22 - 25



AURORA

26 - 29



FLOATER

32 - 33



ALL MOUNTAIN / POWDER



STRAIGHT

34 - 35



PORTAL

36 - 37



POWDER



LINEHIKER

38 - 41



TOURING



SPLASH

42 - 45



KIDS

INGREDIENTS

46 - 53

SOFT GOODS-APPAREL

54 - 55

LINE UP / RECAP

56 - 57

DISTRIBUTOR LIST

58 - 59



WE STAND BY OUR BOARDS

While we take great pride in crafting our boards and monitoring each one, small imperfections might slip out of the factory. Recognizing this, Slash backs all of its boards with a two-year warranty against any material and manufacturing defects.



DESIGNED BY



ART BY



INGREDIENTS



CONTACT



IMPRINT



---

### **/trib/**

The tribe is a distinct people dependent on snow and mountains for their livelihood. They are dedicated to the pursuit and culture of snowboarding.

*They are a tribe of their own.*

---

### **A TRIBE CALLED SLASH**

<b>ANDY GLADER</b>	USA	<b>JORDON FRAGER</b>	USA
<b>BENJI EWENS</b>	NZL	<b>LIVIA MOLODYH</b>	USA
<b>BROOK FINLINSON</b>	USA	<b>MANUEL DIAZ</b>	CHL
<b>CASEY MITCHELL</b>	USA	<b>ROLI TSCHODER</b>	AUT
<b>COLLIN WHALEN</b>	USA	<b>SHOGO TAKAI</b>	JPN
<b>GEOFF BROWN</b>	CAN	<b>SIMON HOLZI</b>	AUT
<b>GIGI RÜF</b>	AUT	<b>STEFFI RÜF-KOHLER</b>	AUT
<b>GREG BRETZ</b>	USA	<b>TOMMEN BJERKNAES</b>	NOR
<b>JAY HERGERT</b>	USA	<b>WILL JACKWAYS</b>	NZL

#atribecalledslash

#slashesnow



  
SPECTRUM  
RAIL ON



ANDY GLADER



MATHIAS EGLE

**SOFT YET CAMBERED  
FOR SYMMETRICAL TRICKSTERS**

**SMILODON RESPECTRUM**

Redesigned with more pop and precision, the all-new Spectrum brings a fresh outlook to familiar terrain. We beefed up the board's chassis by adding positive camber for more refined control and ollie juice.

The board still retains its soft, feel-good flex that makes it playful, easy to press, butter and jib, but now it has more power on tap. Part of that new energy reserve also comes from the Carbonbon layup of carbon fiber stringers underfoot. These stringers boost your ollies and edge control, offering a lively feel around the bindings.

At the heart of the board is a Pop wood core filled with premium poplar for a consistent flex and a backbone of beech stringers from tip to tail. It's packaged in a freestyle true-twin shape that'll change the way you look at terrain.

#slashedspectrum

#slashedsnow



TOP

BASE

CARBONBON

BI-AX FIBERGLASS

POP WOODCORE

TRI-AX FIBERGLASS

SINTERED BASE 4800

BELT FINISH

PROGRESSIVE SIDECUT


IMPACT DAMPENING

FACTORY WAXED



148 151 153w 154 157

**CAMBER /**



**SPECS /**

SIZE [cm]	148	151	153W	154	157
NOSE LENGHT [mm]	205	205	205	210	215
RUNNING LENGHT [mm]	1070	1120	1120	1120	1140
TAIL LENGHT [mm]	205	205	205	210	215
NOSE WIDTH [mm]	287	290	300	293	295
WAIST WIDTH [mm]	247	249	259	252	254
WAIST WIDTH [inch]	9,7	9,8	10,2	9,9	10,0
TAIL WIDTH [mm]	287	290	300	293	295
SIDECUT RADIUS [m]	7,5	7,7	8,0	8,0	8,3
MIN/MAX STANCE [CM]	49/61	49/61	51/63	51/63	54/66
MIN/MAX STANCE [INCH]	19.3/24.1	19.3/24.1	20.1/24.8	20.1/24.8	21.3/26.0
SETBACK [mm]	0	0	0	0	0
SETBACK [inch]	0	0	0	0	0
INSERTS [#]	6x2	6x2	6x2	6x2	6x2



HAPPY PLACE  
UPSIDE DOWN



GiGi RUF



MATHIAS EGLE

A PLAYFUL BOARD  
FOR ALL

ENTER EUPHORIA

The Happy Place was conceived as an easy-to-ride, fun-frothing, playful park board for all riders. Its easy riding medium flex stems from a bi-axial fiberglass layup that's enhanced by Sweet Spots carbon fiber stringers laid from the bindings to the contact points to enhance edge control and amplify ollies.

The twin tip shape and progressive sidecut deliver consistent drive whether riding regular or switch. Its Camrock profile puts the stability and control of positive camber between the feet and rocker rise in the tips for flexed presses, butters and less edge catch.

The core is built using poplar wood with beech hardwood stringers along the inserts for better binding power transfer, and added spruce strips increase control and maximize pop. Step aboard and enter the new realm.

#slashhappyplace

#slashesnow

**GIRLS ARE  
AWESOME**





TOP



BASE



SWEET SPOT



BI-AX FIBERGLASS



POP WOODCORE



TRI-AX FIBERGLASS



SINTERED BASE 7000



BELT FINISH



PROGRESSIVE SIDECUT



IMPACT DAMPENING




FACTORY WAXED



146 149 152 154 155w 156 158 159w

FLIP FLOP BASE

CAMROCK /



SPECS /

SIZE [cm]	146	149	152	154	155w	156	158	159w
NOSE LENGHT [mm]	195	195	210	210	205	220	210	205
RUNNING LENGHT [mm]	1070	1100	1100	1120	1140	1120	1160	1180
TAIL LENGHT [mm]	195	195	210	210	205	220	210	205
NOSE WIDTH [mm]	282	286	290	292	297	294	295	302
WAIST WIDTH [mm]	243	247	249	251	257	253	253	260
WAIST WIDTH [inch]	9,6	9,7	9,8	9,9	10,1	10,0	10,0	10,2
TAIL WIDTH [mm]	282	286	290	292	297	294	295	302
SIDECUT RADIUS [m]	6,8	7,0	7,0	7,2	7,7	7,4	7,6	7,9
MIN/MAX STANCE [CM]	48/60	48/60	50/62	50/62	52/64	52/64	52/64	54/66
MIN/MAX STANCE [INCH]	18.9/23.6	18.9/23.6	19.7/24.4	19.7/24.4	20.5/25.2	20.5/25.2	20.5/25.2	21.3/26.0
SETBACK [mm]	0	0	0	0	0	0	0	0
SETBACK [inch]	0	0	0	0	0	0	0	0
INSERTS [#]	6x2	6x2	6x2	6x2	6x2	6x2	6x2	6x2




SOFT

1 2 3 4 5 6 7 8 9 10




RESPONSIVE



  
**BRAINSTORM**  
**DROP IN**

 GIGI RUF

 MATHIAS EGLE

**SLIGHTLY SETBACK AND SUITED  
 FOR STEEPS AND STORMS**

**THROUGH STORM AND SQUALL**

Ready to brave even the biggest of squalls and the sloppiest of chop. The Brainstorm is a highly versatile, maneuverable, and capable directional twin for charging a bevy of conditions and terrain. Its blend of tri-axial and bi-axial fiberglass cloaks the core with a fluid flex and beneath the surface lies a Buried Treasure blend of carbon fiber, Kevlar and basalt stringers underfoot for lightning-like response whether it's a simple slash, or hefty snap off of the lip.

The complex Forever Core is composed of four distinct woods (paulownia, spruce, beech and poplar) for a dynamic, durable and ultra lightweight build.

The subtle Traction Bump mid-sidecut provides extra grip in firm snow and the setback camber profile offers rocker lift in the nose for shoveling through crust, chop and fresh slop.

#slashbrainstorm

#slashesnow



TOP



BASE



BURIED TREASURE



TRI-AX FIBERGLASS



FOREVER WOODCORE



BI-AX FIBERGLASS



SINTERED BASE 7000



BELT FINISH



PROGRESSIVE SIDECUT



ULTIMATE TRACTION




FACTORY WAXED



151 157 159w | 154 160 163w

### BACKSEAT CAMROCK /



### SPECS /

SIZE [cm]	151	154	157	159w	160	163w
NOSE LENGTH [mm]	195	200	205	205	200	205
RUNNING LENGTH [mm]	1120	1140	1160	1180	1200	1220
TAIL LENGTH [mm]	195	200	205	205	200	205
NOSE WIDTH [mm]	284	286	289	298	292	304
WAIST WIDTH [mm]	247	248	250	259	252	263
WAIST WIDTH [inch]	9,7	9,8	9,8	10,2	9,9	10,4
TAIL WIDTH [mm]	284	286	289	298	292	304
SIDECUT RADIUS [m]	7,9	8,0	8,1	8,1	8,3	8,3
MIN/MAX STANCE [CM]	50/62	52/64	52/64	52/64	52/64	54/66
MIN/MAX STANCE [INCH]	19.7/24.4	20.5/25.2	20.5/25.2	20.5/25.2	20.5/25.2	21.3/26.0
SETBACK [mm]	15	15	15	15	15	15
SETBACK [inch]	0,6	0,6	0,6	0,6	0,6	0,6
INSERTS [#]	6x2	6x2	6x2	6x2	6x2	6x2




SOFT

1 2 3 4 5 6 7 8 9 10



RESPONSIVE



**THE FOREVER WOOD CORE IS FLYWEIGHT AND FLIGHT READY**

**THE ORIGINAL SLASH CRAFT**

This is the original Slash craft—a flyweight, reactive and mighty directional twin. It has a positive camber profile for stout ollies and pure carves.

The Forever Core consists of a hybrid mix of high-end woods (paulownia, spruce, beech and poplar) for a tough, lightweight and attuned feel. Its outer shell of Reactive Flex fiberglass not only delivers robust pop lengthwise, but also adds a dynamic flex from heel to toe for more bite in carves and better torsional steering.

The Buried Treasure blend of carbon fiber, Kevlar and basalt additives underfoot extend towards the edges and tips to propel response and rebound, while also allowing for a thinner core without sacrificing strength. Its deep sidecut generates swift slashes and the subtle traction bump bites through rough snow.

The launch sequence is loaded. The coordinates are set. This is the spaceship for now.

#slashatv

#slashesnow



TOP

BASE



BURIED TREASURE



TRI-AX FIBERGLASS



FOREVER WOODCORE



TRI-AX FIBERGLASS



SINTERED HD BASE 9000



DIAMOND STONE FINISH



PROGRESSIVE SIDECUT



ULTIMATE TRACTION




FACTORY WAXED



151 154 155w | 156 158 159w | 161 163w

CAMBER /



SPECS /

SIZE [cm]	151	154	155w	156	158	159w	161	163w
NOSE LENGHT [mm]	205	210	205	220	210	205	205	205
RUNNING LENGHT [mm]	1100	1120	1140	1120	1160	1180	1200	1220
TAIL LENGHT [mm]	205	210	205	220	210	205	205	205
NOSE WIDTH [mm]	290	292	297	294	295	302	297	307
WAIST WIDTH [mm]	249	251	257	253	253	260	255	263
WAIST WIDTH [inch]	9,8	9,9	10,1	10,0	10,0	10,2	10,0	10,4
TAIL WIDTH [mm]	290	292	297	294	295	302	297	307
SIDECUT RADIUS [m]	7,0	7,2	7,7	7,4	7,6	7,9	7,8	8,1
MIN/MAX STANCE [CM]	50/62	50/62	52/64	52/64	52/64	54/66	52/64	54/66
MIN/MAX STANCE [INCH]	19.7/24.4	19.7/24.4	20.5/25.2	20.5/25.2	20.5/25.2	21.3/26.0	20.5/25.2	21.3/26.0
SETBACK [mm]	13	13	13	13	13	13	13	13
SETBACK [inch]	0,5	0,5	0,5	0,5	0,5	0,5	0,5	0,5
INSERTS [#]	6x2	6x2	6x2	6x2	6x2	6x2	6x2	6x2



SOFT

1 2 3 4 5 6 7 8 9 10




RESPONSIVE



  
**AURORA**  
 FAR OUT


 GiGi RUF


 MATHIAS EGLE

#### INTERACTIVE DUALITY BETWEEN THE FRONT AND REAR FOOT

#### SWIFT BLACK SLASH

Like an aurora's light emitting across the dark skies this Aurora is a swift black slash across the snow's clean white surface. It's an independent-flexing, futuristic whip made for aggressive riders who seek ultimate response and control.

The chassis begins with our lightest core crafted from select paulownia wood and bamboo stringers, with added strips of ash wood along the inserts and edges to bolster strength and edge hold. It's encapsulated in spacecraft-grade bi-axial carbon fiber and tri-axial fiberglass for superior spring.

The dual camber design places a separate camber profile under each foot, which act independently since the core also has precise Knockout milling between the inserts. Combined with the directional Redline side-cut, the entire system works like a gas pedal underfoot for speed, ollies, swift slashes and razor sharp control.

#slashaurora

#slashesnow



TOP

BASE



NCF CARBON



LIGHTWEIGHT WOODCORE



TRI-AX FIBERGLASS



SINTERED NHS RACE BASE



DIAMOND STONE FINISH



REDLINE SIDECUT



PROGRESSIVE SIDECUT



KNOCKOUT



ULTIMATE TRACTION




FACTORY WAXED



155 158 162

DUAL CAMBER /



SPECS /

SIZE [cm]	155	158	162
NOSE LENGTH [mm]	225	211	231
RUNNING LENGTH [mm]	1100	1160	1160
TAIL LENGTH [mm]	225	211	231
NOSE WIDTH [mm]	287	290	295
WAIST WIDTH [mm]	250	253	257
WAIST WIDTH [inch]	9,8	10,0	10,1
TAIL WIDTH [mm]	287	290	295
SIDECUT RADIUS [m]	8.1-6.5*	8.5 - 6.9*	8.7-7.1*
MIN/MAX STANCE [CM]	52/64	52/64	52/64
MIN/MAX STANCE [INCH]	20.5/25.2	20.5/25.2	20.5/25.2
SETBACK [mm]	15	15	15
SETBACK [inch]	0,6	0,6	0,6
INSERTS [#]	6x2	6x2	6x2

\* RIDELINE SIDECUT




SOFT

1 2 3 4 5 6 7 8 9 10



RESPONSIVE



MANUEL DIAZ



GiGi RÜF



JAY HERGERT



KATE ZESSEL



KATE ZESSEL



JAY HERGERT

### FREERIDE QUIVER LINE

ALL STYLES, ALL TERRAIN, ALL TIME.

The crisp Freeride Quiver line introduces three different boards with distinct rides, yet one common purpose: *to crush pow.*

Each deck in the collection features a Backseat Camrock camber profile and set back shape to let you steer from the rear and plow through fresh snow. They all have larger noses for ample float and their subtle rocker from the front binding forward makes it easy to keep the tips up. Their tail's mild swallowtail shape and slight rocker naturally sinks for an easier, more balanced riding position in steep and deep terrain.

From all out pinning it to soulful carves and sidehits each board offers a unique experience.

*Which one will you choose?*



FLOATER

FINS OUT

#slashfloater



STRAIGHT

RIDE FREE

#slashstraight



PORTAL

PLOW POW

#slashportal

#slashtnow





TOP



BASE



153 157 161




FLOATER

THE BIG STORM SURFER

FLIP FLOP BASE

BACKSEAT CAMROCK /



SPECS /

SIZE [cm]	153	157	161
NOSE LENGHT [mm]	220	220	225
RUNNING LENGHT [mm]	1110	1150	1180
TAIL LENGHT [mm]	200	200	205
NOSE WIDTH [mm]	300	306	311
WAIST WIDTH [mm]	256	260	264
WAIST WIDTH [inch]	10,1	10,2	10,4
TAIL WIDTH [mm]	296	302	307
SIDECUT RADIUS [m]	7,8	8,0	8,2
MIN/MAX STANCE [CM]	50/66	50/66	50/66
MIN/MAX STANCE [INCH]	19,7/25	19,7/25	19,7/25
SETBACK [mm]	20	20	20
SETBACK [inch]	0,8	0,8	0,8
INSERTS [#]	7x2	7x2	7x2



SOFT

1 2 3 4 5 6 7 8 9 10



RESPONSIVE

STRAIGHT

ALL MOUNTAIN / POWDER



TOP



BASE



LANDING STRIP



TRI-AX FIBERGLASS



FOREVER WOODCORE



BI-AX FIBERGLASS



SINTERED HD BASE 9000



DIAMOND STONE FINISH



PROGRESSIVE SIDECUT



ULTIMATE TRACTION



FACTORY WAXED



156 159 159w 161 163




STRAIGHT

FROM STRAIGHT LINES TO FULL CIRCLES

FLIP FLOP BASE

BACKSEAT CAMROCK /



SPECS /

SIZE [cm]	156	159	159w	161	163
NOSE LENGHT [mm]	220	225	225	220	230
RUNNING LENGHT [mm]	114	1160	1160	1200	1200
TAIL LENGHT [mm]	200	205	205	190	200
NOSE WIDTH [mm]	288	290	299	294	297
WAIST WIDTH [mm]	249	251	261	254	256
WAIST WIDTH [inch]	9,8	9,9	10,3	10	10,1
TAIL WIDTH [mm]	288	290	299	294	296
SIDECUT RADIUS [m]	7,9	8,2	8,3	8,3	8,4
MIN/MAX STANCE [CM]	50/62	52/64	54/66	52/64	52/64
MIN/MAX STANCE [INCH]	19.7/24.4	20.5/25.2	21.3/26.0	20.5/25.2	20.5/25.2
SETBACK [mm]	20	20	20	20	20
SETBACK [inch]	0,8	0,8	0,8	0,8	0,8
INSERTS [#]	6x2	6x2	6x2	6x2	6x2

SOFT

1 2 3 4 5 6 7 8 9 10



RESPONSIVE



CARBONBON

TRI-AX FIBERGLASS

LIGHTWEIGHT WOODCORE

BI-AX FIBERGLASS

SINTERED NHS RACE BASE

DIAMOND STONE FINISH


SINGULAR SIDECUT

FACTORY WAXED



154 159


**BACKSEAT CAMROCK /**



**SPECS /**

SIZE [cm]	154	159
NOSE LENGHT [mm]	193	199
RUNNING LENGHT [mm]	1203	1236
TAIL LENGHT [mm]	150	154
NOSE WIDTH [mm]	312	321
WAIST WIDTH [mm]	255	262
WAIST WIDTH [inch]	10	10,3
TAIL WIDTH [mm]	290	298
SIDECUT RADIUS [m]	7,2	7,4
MIN/MAX STANCE [CM]	52/64	52/64
MIN/MAX STANCE [INCH]	20.5/25.2	20.5/25.2
SETBACK [mm]	50	30
SETBACK [inch]	2	1,2
INSERTS [#]	6x2	6x2





  
**LINEHIKER**  
**AIM HIGH**



GiGi RÜF



MATHIAS EGLE

**SUPREME GRIP FOR RAILING TURNS  
 AND ADDED BITE ON SKIN TRACKS**

**NO VALLEY TOO LOW,  
 NO MOUNTAIN TOO HIGH**

From bottom to top as two and top to bottom as one the Linehiker propels human-powered adventures without fail.

The Linehiker is based on our versatile and award-winning Brainstorm model, but tweaked for touring. To aid the split Linehiker has two tip-to-tail Landing Strips of carbon fiber and Kevlar additives for power and stability whether the board is split or solid. Its ice-slicing Traction Bump edges are dual purpose: providing supreme grip when arcing turns and added bite on technical skin tracks.

The setback camber profile puts the rider in the backseat for increased speed, float and landings in pow, while still maintaining balance when skinning.

The finely tuned four-wood (paulownia, spruce, beech and poplar) Forever Core is lively, light and powerful, too. With trusted Union hardware and a standard split mounting pattern it's ready for even the furthest line-mining missions.

#slashlinehiker

#slashsnow



 LANDING STRIP

 TRI-AX FIBERGLASS

 FOREVER WOODCORE

 BI-AX FIBERGLASS

 SINTERED HD BASE 9000

 BELT FINISH

 PROGRESSIVE SIDECUT


 ULTIMATE TRACTION

 FACTORY WAXED




159w 162w

### BACKSEAT CAMROCK /



### SPECS /

SIZE [cm]	159w	162w
NOSE LENGHT [mm]	205	205
RUNNING LENGHT [mm]	1180	1210
TAIL LENGHT [mm]	205	205
NOSE WIDTH [mm]	298	304
WAIST WIDTH [mm]	259	263
WAIST WIDTH [inch]	10,2	10,4
TAIL WIDTH [mm]	298	304
SIDECUT RADIUS [m]	8,1	8,3
MIN/MAX STANCE [CM]	52/64	54/66
MIN/MAX STANCE [INCH]	20.5/25.2	21.3/26.0
SETBACK [mm]	20	20
SETBACK [inch]	0,8	0,8
INSERTS [#]	Split Inserts	Split Inserts





GiGi RUF



OSKAR & JONA RUF

**AN EASY RIDING  
RIP STICK**

Youth are the seeds of all snowboarding and turning is the root of all their riding. With a Splash of water and light their turns can take hold. With a soft and simple flex the Splash helps initiate easy arcs and encourages proper foot control. Its mid-sidecut Traction Bump maintains edge hold from first turns to fast fall line riding.

The twin tip shape offers a bed where free-style moves can grow, and its rockered tips reduce edge-catch.

The Splash's durable, maintenance-free base and tough wood core can take on seasons to come, too. Planted atop this board younger riders will thrive.

**LIFTED CONTACT POINTS  
FOR LESS EDGE CATCHING**



**SPLASH**  
ALL ABOARD

#slashesplash

#slashesnow



TOP



BASE

 BI-AX FIBERGLASS

 POP WOODCORE


 BI-AX FIBERGLASS

 SINTERED BASE 4800

 BELT FINISH

 PROGRESSIVE SIDECUT

 ULTIMATE TRACTION


 KNOCKOUT

 FACTORY WAXED



110 120

**CAMROCK /**



**SPECS /**

SIZE [cm]	110	120
NOSE LENGHT [mm]	166	192
RUNNING LENGHT [mm]	767	816
TAIL LENGHT [mm]	166	192
NOSE WIDTH [mm]	245	250
WAIST WIDTH [mm]	217	221
WAIST WIDTH [inch]	8,5	8,7
TAIL WIDTH [mm]	245	250
SIDECUT RADIUS [m]	5,0	6,0
MIN/MAX STANCE [CM]	32/40	32/40
MIN/MAX STANCE [INCH]	12.6/15.7	12.6/15.7
SETBACK [mm]	0	0
SETBACK [inch]	0	0
INSERTS [#]	5x2	5x2





**SLASH  
INGREDIENTS /**





**LIGHTWEIGHT WOODCORE**  
AURORA / PORTAL / LINEHIKER

Crafted with light density paulownia and bamboo stringers for superior strength and minimal heft then strengthened with ash along the inserts for power transfer and along the sidewalls for better on-edge stability. This is the lightest, most complex core we create.



**CARBON TRIAX**  
AURORA

Carbon weighs less than traditional fiberglass and it has a higher load capacity and stronger tensile strength that's less susceptible to delamination, too. All of this translates into a snowboard that's lighter, snappier and more powerful than anything else on the market.



**KNOCK OUT**  
AURORA / SPLASH

This is our custom method of core milling that's highly visible on the Aurora. Using a CNC machine we precisely carve out material between the bindings. This makes the core lighter and the sidewall thinner to promote independent flex. The board has a more intimate feel and gives you better edge control.



**CARBONBON**  
SPECTRUM

Pure carbon fiber slabs placed in a cross pattern under the inserts between the base and the core to enhance responsiveness, pop, torsional stiffness and amplify foot movement.




**FOREVER WOODCORE**  
ATV / BRAINSTORM / STRAIGHT  
FLOATER / LINEHIKER

Constructed from four different lightweight wood species—paulownia, spruce, beech and poplar—for a premium core that offers a highly tuned and dynamic feel. It's flyweight, durable, filled with pop and highly reactive.



**TRIAx FIBERGLASS**  
ATV / SPECTRUM / HAPPY PLACE  
BRAINSTORM / LINEHIKER / QUIVER  
AURORA

Triax fiberglass is the time-tested classic. It features a three-way weave of premium fibers with strands running at 45-degree angles. It provides superior pop, consistent torsional flex, and more overall response.



**BURIED TREASURE**  
ATV / BRAINSTORM

This is our ultimate truss of carbon, Kevlar and basalt fibers. The effects are lightness because the connecting strength of fiber allows us to slim the cores thickness. With our strategic placement this gives certain liveliness to the board by adding response to the tips and leaving torsional softness between the feet.



**LANDING STRIP**  
STRAIGHT / FLOATER  
LINEHIKER / AURORA

Strips of Kevlar and carbon fiber placed from the inserts to the tips in the nose and tail to support landings and reduce washouts. This design also helps dampen high-speed chatter, offer stability at speed and load up potent ollies.



**POP WOODCORE**  
SPECTRUM / HAPPY PLACE / SPLASH

Arranged with premium strips of poplar for a light-weight and smooth flex with added beech hardwood stringers tip to tail through the inserts for power transfer and durability.




**BIAx FIBERGLASS**  
SPECTRUM / HAPPY PLACE  
BRAINSTORM / QUIVER / LINEHIKER  
SPLASH

Biax fiberglass is a two-way weave of fiberglass with strands running every 90-degrees. It's more forgiving, easier to flex and and highly versatile for all terrain types.



**SWEET SPOT**  
HAPPY PLACE / PORTAL

Two carbon fiber stringers stretching outward from the inserts to the contact points in both the tip and the tail. Like prongs sticking outward these additives feel out rough terrain, promote pop, generate stronger edge hold and create a more playful ride.



**ULTIMATE TRACTION**  
SPECTRUM / HAPPY PLACE / BRAIN-  
STORM / ATV / STRAIGHT / FLOATER  
LINEHIKER / AURORA / SPLASH

This small counter radius (bump) placed in the middle of the board's sidecut improves edge hold without creating drag or strange edge grip. It adds extra bite on ice and turns regular turns into confident carves.



**REDLINE SIDECUT**

AURORA

This multi radii directional sidecut is deeper at the tail end for explosive turns. Combined with the Aurora's dual camber and flex design it allows the rider to accelerate swiftly when pointed forward with weight on the front foot. At the same time it allows the back foot to maintain control and steering.



**IMPACT DAMPENING**

SPECTRUM / HAPPY PLACE / BRAIN-STORM / ATV / QUIVER / LINEHIKER  
AURORA / SPLASH

This small counter radius (bump) placed in the middle of the board's sidecut improves edge hold without creating drag or strange edge grip. It adds extra bite on ice and turns regular turns into confident carves.



**SLICK TIP PROFILE**

AURORA

This reduces the core and sidewall thickness at the tips for a board with lighter swing weight, better dampening properties and provides a unique feel in turn transitions.



**DUAL CAMBER**

AURORA

This design features two subtle camber zones underfoot with a pivot point between the feet. The camber zones make it precise by preserving the traditional camber contact points, but the pivot point makes it easier to turn.



**SINGULAR SIDECUT**

FLOATER / PORTAL

A predictable and powerful sidecut with a single radius that makes for consistent turns. It's ideal for intermediate and advanced riders who already know how to carve a turn, like to ride fast, and desire strong edge hold.



**EDGES**

SPECTRUM / HAPPY PLACE / BRAIN-STORM / ATV / QUIVER / LINEHIKER  
AURORA / SPLASH

We build our edges with 35% more steel content than the average. They are simply stronger and more durable than the alternative.



**FLOAT INSERTS**

FLOATER

An extra set of inserts set way back for those super deep days.



**CAMROCK**

HAPPY PLACE / SPLASH

CamRock features a loaded camber section between the feet with a small flat section underfoot and rockered tips. The camber section maintains stability between the feet, while the flat areas underfoot let you load up ollies and the rockered tips offer forgiveness. This creates a very playful, easy turning board.



**PROGRESSIVE SIDECUT**

SPECTRUM / HAPPY PLACE / BRAIN-STORM / ATV / STRAIGHT / LINEHIKER  
AURORA / SPLASH


Our progressive sidecut design blends many radii and smooth contact points for buttery smooth turn initiation, edge-to-edge transition and edge hold. It's different for each model and matches the sidecut to the board's specific camber profile.



**TIP PROTECTORS**

SPECTRUM / HAPPY PLACE / BRAIN-STORM / ATV / QUIVER / LINEHIKER  
AURORA / SPLASH

Thin, light and surprisingly strong aluminum protectors that cap the base and edge at the tip and tail to protect the board from impacts.



**CAMBER**

SPECTRUM / ATV


A tried and true camber profile that offers a precise feel, predictable turns, solid edge hold, suspension and powerful pop. Traditional camber distributes weight evenly and offers a progressive flex pattern.



**BACKSEAT CAMROCK**


BRAINSTORM / QUIVER / LINEHIKER

The Backseat CamRock design places rocker in the nose and a slight amount in the tail with positive camber in between. This setback design delivers camber stability and control between the feet and in the tail, with the added float and maneuverability of the rockered nose.




**EXTRUDED BASE 4800**  
SPECTRUM / SPLASH

Extruded low-density running base material accepts wax well and absorbs blunt shocks extra.



**SINTERED BASE 7000**  
HAPPY PLACE / BRAINSTORM  
LINEHIKER

This sintered base is fast, durable and requires less waxing. We believe in using the best possible materials and refrain from using cheaper, low-density extruded material our boards.



**WAX**  
SPECTRUM / HAPPY PLACE / BRAINSTORM / ATV / QUIVER / LINEHIKER  
AURORA / SPLASH

All Slash boards are factory waxed with OneBallJay wax and ready to shred straight out of the wrapper.




**NHS GRAPHITE RACE BASE**  
AURORA / PORTAL

High performance ultra high molecular sintered race base with the addition of graphite. Premium base material with the best gliding characteristics and optimal durability.



**DIAMOND STONE FINISH**  
ATV / QUIVER / AURORA / LINEHIKER

We add a slight diamond-structured stone grind to the base to maximize glide and optimize durability. It eliminates the slow, suction cup feel that comes with one-dimensional base finishes.




**KICK STAND**  
SPECTRUM / HAPPY PLACE / BRAINSTORM / ATV / QUIVER / LINEHIKER  
AURORA / SPLASH

Our Identity shape saves material and weight and also stands up without tipping over like rounded boards do!




**SINTERED HD BASE 9900**  
ATV / AURORA / STRAIGHT / FLOATER

The fastest and hardest sintered base on the market. It provides the most impact resistant surface available and its high-density molecular structure holds wax longer for sustained speeds.



**BELT FINISH**  
HAPPY PLACE / BRAINSTORM  
LINEHIKER / SPLASH

The belt finish gets your base optimized before it's fully waxed.



**WE STAND BY OUR BOARDS**  
SPECTRUM / HAPPY PLACE / BRAINSTORM / ATV  
QUIVER / LINEHIKER AURORA / SPLASH

While we take great pride in crafting our boards and monitoring each one, small imperfections might slip out of the factory. Recognizing this, Slash backs all of its boards with a two-year warranty against any material and manufacturing defects.

SOFT GOODS – APPAREL /



INDEX

BLACK



POM

BLACK



CREW SHIRT

BLACK



DRIP SIDEWAYS SHIRT

BLACK



LURKER

BLACK



FUZZ 5 - PANEL

BLACK



CREW SHIRT

BLACK



→ URBAN / PARK      PARK / FREESTYLE      FREESTYLE / ALL MOUNTAIN      ALL MOUNTAIN / POWDER      POWDER      TOURING      KIDS

RECAP OF SPECS /

BOARD	SIZE [cm]	NOSE LENGHT [mm]	RUNNING LENGHT [mm]	TAIL LENGHT [mm]	NOSE WIDTH [mm]	WAIST WIDTH [mm]	WAIST WIDTH [inch]	TAIL WIDTH [mm]	SIDECUT RADIUS [m]	Min/Max STANCE [cm]	Min/Max STANCE [inch]	SETBACK [mm]	SETBACK [inch]	INSERTS [#]
SPECTRUM	148	205	1070	205	287	247	9,7	287	7,5	49/61	19,3/24,1	0	0	6x2
	151	205	1120	205	290	249	9,8	290	7,7	49/61	19,3/24,1	0	0	6x2
	153W	205	1120	205	300	259	10,2	300	8,0	51/63	20,1/24,8	0	0	6x2
	154	210	1120	210	293	252	9,9	293	8,0	51/63	20,1/24,8	0	0	6x2
	157	215	1140	215	295	254	10,0	295	8,3	54/66	21,3/26,0	0	0	6x2
HAPPY PLACE	146	195	1070	195	282	243	9,6	282	6,8	48/60	18,9/23,6	0	0	6x2
	149	195	1100	195	286	247	9,7	286	7,0	48/60	18,9/23,6	0	0	6x2
	152	210	1100	210	290	249	9,8	290	7,0	50/62	19,7/24,4	0	0	6x2
	154	210	1120	210	292	251	9,9	292	7,2	50/62	19,7/24,4	0	0	6x2
	155W	205	1140	205	297	257	10,1	297	7,7	52/64	20,5/25,2	0	0	6x2
BRAINSTORM	151	195	1120	195	284	247	9,7	284	7,9	50/62	19,7/24,4	15	0,6	6x2
	154	200	1140	200	286	248	9,8	286	8,0	52/64	20,5/25,2	15	0,6	6x2
	157	205	1160	205	289	250	9,8	289	8,1	52/64	20,5/25,2	15	0,6	6x2
	159W	205	1180	205	298	259	10,2	298	8,1	52/64	20,5/25,2	15	0,6	6x2
	160	200	1200	200	292	252	9,9	292	8,3	52/64	20,5/25,2	15	0,6	6x2
ATV	163W	205	1220	205	304	263	10,4	304	8,3	54/66	21,3/26,0	15	0,6	6x2
	151	205	1100	205	290	249	9,8	290	7,0	50/62	19,7/24,4	13	0,5	6x2
	154	210	1120	210	292	251	9,9	292	7,2	50/62	19,7/24,4	13	0,5	6x2
	155W	205	1140	205	297	257	10,1	297	7,7	52/64	20,5/25,2	13	0,5	6x2
	156	220	1120	220	294	253	10,0	294	7,4	52/64	20,5/25,2	13	0,5	6x2
AURORA	158	210	1160	210	295	253	10,0	295	7,6	52/64	20,5/25,2	13	0,5	6x2
	159W	205	1180	205	302	260	10,2	302	7,9	54/66	21,3/26,0	13	0,5	6x2
	161	205	1200	205	297	255	10,0	297	7,8	52/64	20,5/25,2	13	0,5	6x2
	163	230	1200	230	297	256	10,1	297	8,1	54/66	21,3/26,0	13	0,5	6x2
	163W	205	1220	205	307	263	10,4	307	8,1	54/66	21,3/26,0	13	0,5	6x2
PORTAL	155	225	1100	225	287	250	9,8	287	8,1-6,5*	52/64	20,5/25,2	15	0,6	6x2
	158	211	1160	211	290	253	10,0	290	8,5-6,9*	52/64	20,5/25,2	15	0,6	6x2
	162	231	1160	231	295	257	10,1	295	8,7-7,1*	52/64	20,5/25,2	15	0,6	6x2
FLOATER	153	220	1110	200	300	256	10,1	296	7,8	50/66	19,7/25	20	0,8	7x2
	157	220	1150	200	306	260	10,2	302	8,0	50/66	19,7/25	20	0,8	7x2
	161	225	1180	205	311	264	10,4	307	8,2	50/66	19,7/25	20	0,8	7x2
STRAIGHT	156	220	114	200	288	249	9,8	288	7,9	50/62	19,7/24,4	20	0,8	6x2
	159	225	1160	205	290	251	9,9	290	8,2	52/64	20,5/25,2	20	0,8	6x2
	159W	225	1160	205	299	261	10,3	299	8,3	54/66	21,3/26,0	20	0,8	6x2
	161	220	1200	190	294	254	10	294	8,3	52/64	20,5/25,2	20	0,8	6x2
	163	230	1200	200	297	256	10,1	296	8,4	52/64	20,5/25,2	20	0,8	6x2
LINEHIKER	154	193	1203	150	312	255	10	290	7,2	50/62	20,5/25,2	50	2	6x2
	159	199	1236	154	321	262	10,3	298	7,4	52/64	20,5/25,2	30	1,2	6x2
SPLASH	159W	205	1180	205	298	259	10,2	298	8,1	52/64	20,5/25,2	20	0,8	Split Inserts
	162W	205	1210	205	304	263	10,4	304	8,3	54/66	21,3/26,0	20	0,8	Split Inserts
SPLASH	110	166	767	166	245	217	8,5	245	5,0	32/40	12,6/15,7	0	0	5x2
	120	192	816	192	250	221	8,7	250	6,0	32/40	12,6/15,7	0	0	5x2

## INTERNATIONAL DISTRIBUTOR LIST /

### USA

NW ZIA WORKS  
dustin\_anderson@mac.com

### CANADA

HIGH OUTPUT SPORTS  
www.hosportscanada.com

### BELGIUM

PALMBOOM  
www.west-site.com

### GERMANY

ELEMENT SPORTS  
www.element-sports.de

### JAPAN

HASCO ENTERPRISES INC.  
www.hasco.co.jp

### NETHERLAND

NEWSPORTS  
www.newsports.nl

### UK

THE SNOWBOARD ASYLUM  
www.snowboard-asylum.com

### KOREA

GTG Enterprise Co., LTD.  
www.boardkorea.com

### AUSTRIA

KANOA TRADING  
www.kanoatrading.at

### DENMARK/FINLAND/SWEDEN/NORWAY

BB AGENTUR  
www.bb-agentur.dk

### POLAND

INTERSURF  
www.intersurf.pl

### GREECE

MICROXTREME LTD  
www.microxtreme.gr

### HONGKONG

STYLEPLUS LTD.  
www.styleplus.hk

### SWITZERLAND

SbG  
www.slashsnow.com

### FRANCE

V7 DISTRIBUTION  
www.slashsnow.com

### ITALY

FRIENDISTRIBUTION  
www.friendistribution.it

### AUSTRALIA

SUPERSPORTS PTY Ltd  
www.supersports.net.au



## PUBLISHER & RESPONSIBLE FOR CONTENT

SbG

### SbG+ GmbH

Christian „GiGi“ RUF

Postfach 0052  
6960 Wolfurt-Bahnhof  
Austria

## CONCEPT DESIGN & LAYOUT

TypeGORILLA

### TYPEGORILLA

BÜRO FÜR GESTALTUNG & KOMMUNIKATION

Colingasse 5  
6020 Innsbruck  
Austria

## PHOTOGRAPHY

Mathias Egle

kindly supported by  
Schwaighofer-art

## COPY

Ben Gavelda

## PRINT

Swerakdruck Ges.m.b.H

**WARNING** – snowboarding can be dangerous!

Slash snowboards, it's distributors and retailers are neither responsible, nor liable, for any injury or accident caused by use or misuse of our products.





[SLASHSNOW.COM](https://slashsnow.com)