




SLASH
BY GiGi




PHOTO BY | David Tchag



EDITORIAL



22/23 is shaping up to be another bumper year for Slash. We've seen great momentum in the brand building over recent seasons and never standing still, I've implemented some meaningful changes to the best All MTN board in the world, the ATV and you'll see our Happy Place snowboard now available down to a 135cm to give our smaller rippers a solid freestyle platform to build from. These changes aid me in my mission of making snowboarding more accessible for everyone.

In my 10+ years of running Slash I've been diligently implementing all my learned experiences into my board making process and working with suppliers as close to home as possible and with the best retailers in the world is what keeps my passion for designing snowboards fresh.

GIGI RUF
OWNER · SHAPER · TESTER

INDEX

EDITORIAL	05	
INDEX	06	- 07
TEAM	08	- 09

FREESTYLE

SPECTRUM	12	- 15
HAPPY PLACE	16	- 19

ALL MOUNTAIN

ATV	22	- 25
BRAINSTORM	26	- 29

FREERIDE

VERTICAL	32	- 35
STRAIGHT	36	- 39
PORTAL	40	- 43

TOURING

BRAINSTORM SPLIT	46	- 49
VERTICAL SPLIT	50	- 53

KIDS

54 - 55

SPLASH	56	- 59
--------	----	------

INGREDIENTS	60	- 63
SOFT GOODS	64	- 67
LINE UP	68	
SPECS	69	
DISTRIBUTORS	70	
IMPRINT	71	



TEAM



Jay Hergert
Andy Glader
Casey Mitchell
Brooks Finlinson
Josh Gallen
Kai Polendy
Geoff Brown
Manuel Diaz
Billy Morgan
Luca Fiorini
Jacco Bos
Stuart Innes
Björn Hartweger
Shogo Takai
Yuta Kobayashi
Roli Tschoder
Gigi Rüt
Simon Holzi
David Loibl
Jonas Insam
Raphi Stifter
Timmy Schröder
Nils Berger
Thomas Wolf
Benji Ewens
Collin Whalen
Dan Barker
Olga Trunova
Heize
Sindre Tveiten
Jakob Tessand
Saska Halmes
Steffi Rüt-Kohler
Oskar Lee Rüt
Jona Rüt
Graysen Anderson

SLASH QUIVER





CAMBERED JIBBING



TOP



BASE





SPECTRUM

The Spectrum is our park board for those who prefer the feel of camber.

Positive camber combined with the Carbonbon layup of carbon fibre stringers underfoot delivers revved up ollies and extra control, but we've dialled the Spectrum in at 6 out of 10 on the stiffness scale, meaning it's a jibber's best friend, allowing flexed presses with a playful nature.

Also loaded with a jibber's other best friend, our Rubber Dampeners will help absorb impacts and help protect the sidewalls.



INGREDIENTS



CARBONBON



BI-AX FIBERGLASS



POP WOODCORE



EXTRUDED BASE 4800



BELT FINISH



PROGRESSIVE SIDECUT



IMPACT DAMPENING



STEEL EDGES



FACTORY WAXED




TIP PROTECTORS




KICK STAND

SPECS



CAMBER



TWIN

06



SOFT

STIFF

SIZE [cm]	148	151	153w	154	157
NOSE LENGHT [mm]	205	205	205	210	215
RUNNING LENGHT [mm]	1070	1120	1120	1120	1140
TAIL LENGHT [mm]	205	205	205	210	215
NOSE WIDTH [mm]	287	290	300	293	295
WAIST WIDTH [mm]	247	249	259	252	254
WAIST WIDTH [inch]	9.7	9.8	10.2	9.9	10.0
TAIL WIDTH [mm]	287	290	300	293	295
SIDECUT RADIUS [m]	7,5	7,7	8	8	8,3
MIN/MAX STANCE [CM]	49/61	49/61	51/63	51/63	54/66
MIN/MAX STANCE [INCH]	19.3/24.1	19.3/24.1	20.1/24.8	20.1/24.8	21.3/26.0
SETBACK [mm]	0	0	0	0	0
SETBACK [inch]	0	0	0	0	0
INSERTS [#]	6x2	6x2	6x2	6x2	6x2

HAPPY PLACE



STRESS FREE



TOP



BASE





HAPPY PLACE

In Gigi's mission to make snowboarding more accessible to the masses we've got some huge news for our Happy Place snowboard.

Now manufactured in Europe using only BIAx fiberglass to make it torsionally softer we're now also starting production at a 135cm ride going all the way up to a 163W.

As Gigi's boys are growing, they're needing bigger boards and Gigi's seen it as a good excuse to open up our cam-rockered park board to the younger punks and smaller women.

This hybrid shape has all the pop you can ask for with camber between the feet and the carbon stringers are positioned to give you that amazing pop of camber while retaining the forgiveness of rockered tips. The progressive sidecut allows for swift slashes and gives this board a real flow of movement.



INGREDIENTS



CARBONBON



BI-AX FIBERGLASS



POP WOODCORE



SINTERED BASE 7500



BELT FINISH



PROGRESSIVE SIDECUT



IMPACT DAMPENING



STEEL EDGES



FACTORY WAXED




TIP PROTECTORS




KICK STAND

SPECS



CAMROCK



TWIN

04



SOFT

STIFF

SIZE [cm]	135	142	146	148	150	152	154	155w	156	158	159w	163w
NOSE LENGHT [mm]	195	195	195	195	210	210	210	210	210	210	210	210
RUNNING LENGHT [mm]	960	1030	1079	1090	1080	1100	1120	1130	1140	1160	1170	1210
TAIL LENGHT [mm]	195	195	195	195	210	210	210	210	210	210	210	210
NOSE WIDTH [mm]	274	281	285	286	289	290	292	300	294	296	302	309
WAIST WIDTH [mm]	238	243	245	247	249	250	251	258	253	255	263	265
WAIST WIDTH [inch]	9.4	9.6	9.6	9.7	9.8	9.8	9.9	10.2	10.0	10.1	10.4	10.4
TAIL WIDTH [mm]	274	281	285	286	289	290	292	300	294	296	302	309
SIDECUT RADIUS [m]	6,4	6,4	6,8	7,0	7,9	7,2	7,9	7,9	7,9	7,9	7,9	7,9
MIN/MAX STANCE [CM]	46/58	46/58	48/60	48/60	50/62	50/62	50/62	52/64	52/64	52/64	54/66	54/66
MIN/MAX STANCE [INCH]	18.1/22.8	18.1/22.8	18.9/23.6	18.9/23.6	19.7/24.4	19.7/24.4	19.7/24.4	20.5/25.2	20.5/25.2	20.5/25.2	21.3/26.0	21.3/26.0
SETBACK [mm]	0	0	0	0	0	0	0	0	0	0	0	0
SETBACK [inch]	0	0	0	0	0	0	0	0	0	0	0	0
INSERTS [#]	6x2	6x2	6x2	6x2	6x2	6x2	6x2	6x2	6x2	6x2	6x2	6x2

SLASH QUIVER



ATV




CLEAR VISION



TOP

BASE

ALL MOUNTAIN





ATV

The ATV's been a stand-out performer in our line for over a decade now. And it's GiGi's constant tinkering that's kept this board at the cutting edge of board design. For 22/23 he's been at it again! Two years ago, we introduced a 3D nose when presenting our Vertical shape. Now tried and tested, we've implemented and adapted this tech into the tip and tail of the world's best ALL MTN board, the ATV. GiGi calls it Dog Ears...

Not quite the same amount of scoop as the Vertical's 3D nose, but just enough flick to not only improve the handling on snow with added lift and more butterability, it also makes the ATV look more interesting as well. We've introduced a hybrid camber design with flat sections that add pop and response to this highly trusted cambered board. By utilizing a deep singular sidecut, it stays as reactive and responsive as before. We've spotted a trend towards bigger feet on boards, so you'll notice we've also beefed up the width a little too.



INGREDIENTS



3D LIFT



BURIED TREASURE



TRI-AX FIBERGLASS



FOREVER WOODCORE



SINTERED BASE 7500



DIAMOND STONE FINISH



SINGULAR SIDECUT



STEEL EDGES




FACTORY WAXED





KICK STAND

SPECS




CAMBER



DIRECTIONAL TWIN

05

SOFT




STIFF

SIZE [cm]	155	157	159w	163w
NOSE LENGHT [mm]	210	210	213	213
RUNNING LENGHT [mm]	1130	1150	1164	1204
TAIL LENGHT [mm]	210	210	213	213
NOSE WIDTH [mm]	290	293	301	304
WAIST WIDTH [mm]	253	256	264	267
WAIST WIDTH [inch]	10	10.1	10.4	10.4
TAIL WIDTH [mm]	290	293	301	304
SIDECUT RADIUS [m]	7,75	7,85	7,95	8,05
MIN/MAX STANCE [CM]	48/60	50/62	52/64	54/66
MIN/MAX STANCE [INCH]	18.9/23.6	19.7/24.4	20.5/25.2	21.3/26.0
SETBACK [mm]	13	13	13	13
SETBACK [inch]	0.5	0.5	0.5	0.5
INSERTS [#]	6x2	6x2	6x2	6x2

BRAND
DRIFT

DROP IN



TOP



BASE



ALL MOUNTAIN



BRAINSTORM

Ridden by backcountry freestyle legends Manuel Diaz and Geoff Brown, this board is the culmination of some highly radical brainstorming sessions, built to bring your wildest dreams to reality.


Made with backcountry freestyle centre of mind, The Brainstorm is a directional twin shape that slays the whole mountain. We've set the Brainstorm back and raised the nose with Camrock to aid manoeuvrability in deeper snow and it inspires hard charging thanks to the carbon fibre, Kevlar and basalt stringers, which snap the board to action, providing lightning quick responses when carving and slashing.



SPECS




BACKSEAT CAMROCK



DIRECTIONAL TWIN

05



SIZE [cm]	151	154	157	159w	160	163w
NOSE LENGHT [mm]	195	200	205	205	200	205
RUNNING LENGHT [mm]	1120	1140	1160	1180	1200	1220
TAIL LENGHT [mm]	195	200	205	205	200	205
NOSE WIDTH [mm]	284	286	289	298	292	304
WAIST WIDTH [mm]	247	248	250	259	252	263
WAIST WIDTH [inch]	9.7	9.8	9.8	10.2	9.9	10.4
TAIL WIDTH [mm]	284	286	289	298	292	304
SIDECUT RADIUS [m]	7,9	8	8,1	8,1	8,3	8,3
MIN/MAX STANCE [CM]	50/62	52/64	52/64	52/64	52/64	54/66
MIN/MAX STANCE [INCH]	19.7/24.4	20.5/25.2	20.5/25.2	20.5/25.2	20.5/25.2	21.3/26.0
SETBACK [mm]	15	15	15	15	15	15
SETBACK [inch]	0.6	0.6	0.6	0.6	0.6	0.6
INSERTS [#]	6x2	6x2	6x2	6x2	6x2	6x2

SLASH QUIVER



VERTICAL



TURN CONNOISSEUR



TOP



BASE

VERTICAL



VERTICAL

If it ain't broke, don't fix it! You'll notice we've carried over our Vertical model from Winter 21/22. We try and roll over some models each season to help promote sustainability... we also received lots of awesome feedback from the graphic, so we thought we'd let this fine wine breathe for another year!

The Vertical is a hard charger's best friend on all-time big mountain lines while it'll also lay out thick, juicy carves into corduroyed pistes too. Its 3D tip floats this nose through powder like the hull of a boat and there are our Float inserts to let you set back when it's extra deep and the tapered tail punctuates this buoyancy aid.



INGREDIENTS



3D LIFT



BURIED TREASURE



TRI-AX FIBERGLASS



POP WOODCORE



SINTERED BASE 7200



DIAMOND STONE FINISH



PROGRESSIVE SIDECUT



ULTIMATE TRACTION



TAPERED SHAPE



FLOAT INSERTS



STEEL EDGES



FACTORY WAXED




TIP PROTECTORS




KICK STAND

SPECS




CAMBER



DIRECTIONAL

05





SOFT


STIFF

SIZE [cm]	151	157	161	167
NOSE LENGHT [mm]	215	215	215	215
RUNNING LENGHT [mm]	1127	1187	1227	1287
TAIL LENGHT [mm]	168	168	168	168
NOSE WIDTH [mm]	301	310	312	329
WAIST WIDTH [mm]	246	249	259	267
WAIST WIDTH [inch]	9.7	9.8	10.2	10.5
TAIL WIDTH [mm]	291,5	299	304,5	316
SIDECUT RADIUS [m]	8,3	8,3	8,3	8,6
MIN/MAX STANCE [CM]	48/64	48/64	48/64	48/64
MIN/MAX STANCE [INCH]	18.9/25.2	18.9/25.2	18.9/25.2	18.9/25.2
SETBACK [mm]	40	40	40	40
SETBACK [inch]	1.6	1.6	1.6	1.6
INSERTS [#]	7x2	7x2	7x2	7x2

STRAIGHT



BACKCOUNTRY GUN



TOP



BASE

F R E E R I D E

STRAIGHT



STRAIGHT

Ridden by Gigi at the Fieberbrunn stop of the Freeride World Tour in 2021, we've tweaked the Straight for 22/23 to make it more user friendly.

We're using a little less wood this year to give it a softer directional flex that is easier to manoeuvre. It's a hybrid cambered board with a larger, rockered and lifted nose enabling superior floatation and then transitioning to camber between the feet for increased control, stability and manoeuvrability.

Strips of kevlar and carbon fibre run from the inserts to both tips, helping you stick those bigger landings and these wondrous strips also offer stability at high speed, will juice up your ollies and decrease board chatter when riding at speed.




INGREDIENTS

- ASH WOOD TOPSHEET
- LANDING STRIP
- TRI-AX FIBERGLASS
- FOREVER WOODCORE
- SINTERED BASE 7200
- DIAMOND STONE FINISH
- PROGRESSIVE SIDECUT
- ULTIMATE TRACTION
- STEEL EDGES
- FACTORY WAXED
- TIP PROTECTORS
- KICK STAND

SPECS



BACKSEAT CAMROCK




06

SOFT

STIFF

SIZE [cm]	156	159	159w	161	163
NOSE LENGHT [mm]	220	225	225	220	230
RUNNING LENGHT [mm]	114	1160	1160	1200	1200
TAIL LENGHT [mm]	200	205	205	190	200
NOSE WIDTH [mm]	288	290	299	294	297
WAIST WIDTH [mm]	249	251	261	254	256
WAIST WIDTH [inch]	9,8	9,9	10,3	10	10,1
TAIL WIDTH [mm]	288	290	299	294	296
SIDECUT RADIUS [m]	7,9	8,2	8,3	8,3	8,4
MIN/MAX STANCE [CM]	50/62	52/64	54/66	52/64	52/64
MIN/MAX STANCE [INCH]	19.7/24.4	20.5/25.2	21.3/26.0	20.5/25.2	20.5/25.2
SETBACK [mm]	20	20	20	20	20
SETBACK [inch]	0,8	0,8	0,8	0,8	0,8
INSERTS [#]	6x2	6x2	6x2	6x2	6x2

PORTAL



POWDER HOUND



TOP



BASE

F R E E R I D E



PORTAL

The Portal is our all-out powder rocket. Its nose, reminiscent of a snow plough, elevated and oversized for cutting through the white gold like a hot knife through butter.

Its tail, beautifully tapered and akin to that of a swallow, allows the rider to steer this magnificent beast through powder as gracefully as you like.


Also benefitting from a slight re-tune for 22/23, those with a keen eye for detail will notice a slightly looser ride for this winter thanks to a reduction in wood in all the right places.

Equipped with our Float set of inserts, when the snow's extra deep, set back, relax and enjoy dropping pillows, slashing banks and staying afloat with our supreme flotation device.




- ASH WOOD TOPSHEET
- CARBONBON
- TRI-AX FIBERGLASS
- LIGHTWEIGHT WOODCORE
- SINTERED BASE 7200
- FLOAT INSERTS
- DIAMOND STONE FINISH
- SINGULAR SIDECUT
- TAPERED SHAPE
- STEEL EDGES
- FACTORY WAXED
- TIP PROTECTORS
- KICK STAND


SPECS



BACKSEAT CAMROCK



07



SIZE [cm]	154	159
NOSE LENGHT [mm]	193	199
RUNNING LENGHT [mm]	1203	1236
TAIL LENGHT [mm]	150	154
NOSE WIDTH [mm]	312	321
WAIST WIDTH [mm]	255	262
WAIST WIDTH [inch]	10.0	10.3
TAIL WIDTH [mm]	290	298
SIDECUT RADIUS [m]	7,2	7,4
MIN/MAX STANCE [CM]	52/64	52/64
MIN/MAX STANCE [INCH]	20.5/25.2	20.5/25.2
SETBACK [mm]	50	30
SETBACK [inch]	2.0	1.2
INSERTS [#]	7x2	7x2


SLASH QUIVER



BRANDS
SPLIT



TOP



BASE

TOURING




BRAINSTORM SPLIT

The split version of our backcountry freestyle all mountain machine, the Brainstorm Split empowers deep thinking with its backseat camrock and engages floaty freestyle with its juiced up carbon fibre, Kevlar and basalt stringers.

Our ice slicing Traction Bump edges work twofold, giving ultimate grip through turns and also bite hard on the split up.

Our Forever Core comprises paulownia, spruce, beech and poplar and is responsive, lightweight and über powerful.



INGREDIENTS



LANDING STRIP



TRI-AX FIBERGLASS



FOREVER WOODCORE



SINTERED BASE 6000



UNION HARDWARE



BELT FINISH



PROGRESSIVE SIDECUT



ULTIMATE TRACTION



STEEL EDGES



FACTORY WAXED



TIP PROTECTORS




KICK STAND

SPECS




BACKSEAT CAMROCK



DIRECTIONAL TWIN

06

SOFT



STIFF

SIZE [cm]	159w	162w
NOSE LENGHT [mm]	205	205
RUNNING LENGHT [mm]	1180	1210
TAIL LENGHT [mm]	205	205
NOSE WIDTH [mm]	298	304
WAIST WIDTH [mm]	259	263
WAIST WIDTH [inch]	10.2	10.4
TAIL WIDTH [mm]	298	304
SIDECUT RADIUS [m]	8,1	8,3
MIN/MAX STANCE [CM]	52/64	54/66
MIN/MAX STANCE [INCH]	20.5/25.2	21.3/26.0
SETBACK [mm]	20	20
SETBACK [inch]	0,8	0,8
INSERTS [#]	Split Inserts	Split Inserts

VERTICAL SPLIT



TECH PACKED SPLIT FOR HARD CHARGING



TOP

BASE

TOURING

VERTICAL SPLIT



VERTICAL SPLIT

The Vertical Split has two tip-to-tail Landing Strips of carbon fibre and Kevlar additives for power and stability whether the board is split or solid.

Its ice-slicing Traction Bump and S-Line touring edges down the middle of the board provide shear force when put together and add bite to all four edges, even on sketchy traverses. Built using locally grown supplies of poplar wood and beech Hardwood stringers makes it lightweight and powerful too.

Also for 22/23, we're introducing the Union Hooks & Clips Pro to the Vertical Split, meaning they'll stand the test of time even better than before.



INGREDIENTS



LANDING STRIP



TRI-AX FIBERGLASS



POP WOODCORE



SINTERED BASE 7200



DIAMOND STONE FINISH



PROGRESSIVE SIDECUT



ULTIMATE TRACTION



TAPERED SHAPE



UNION HARDWARE



S-LINE SPLIT



STEEL EDGES



FACTORY WAXED




TIP PROTECTORS




KICK STAND

SPECS




CAMBER



DIRECTIONAL

07

SOFT



STIFF

SIZE [cm]	151	158	162
NOSE LENGHT [mm]	215	215	215
RUNNING LENGHT [mm]	1127	1197	1237
TAIL LENGHT [mm]	168	168	168
NOSE WIDTH [mm]	302	310	315
WAIST WIDTH [mm]	248	253	260
WAIST WIDTH [inch]	9.8	10.0	10.2
TAIL WIDTH [mm]	295	303	307,8
SIDECUT RADIUS [m]	8,3	8,3	8,3
MIN/MAX STANCE [CM]	49/59	51/61	53/63
MIN/MAX STANCE [INCH]	19.3/23.3	20.1/24.1	20.9/24.9
SETBACK [mm]	40	40	40
SETBACK [inch]	1.6	1.6	1.6
INSERTS [#]	Split Inserts	Split Inserts	Split Inserts

*float inserts

SLASH QUIVER



S P L A S H

S D A S L

THE FUTURE IS NOW



TOP

BASE



SPLASH

As Gigi's boys spend more and more days with him on the mountain each year, the more first-hand R&D feedback he gets on our Splash board. Knowing the fundamental basics that turn kids off snowboarding - edge catches and unforgiving rides - Gigi's put a number of features to help make snowboarding easy and accessible for kids.

With a soft and simple flex the Splash helps initiate easy arcs and encourages proper foot control. Its mid-sidecut Traction Bump maintains edge hold from first turns to fast fall line riding. The twin tip shape offers a bed where freestyle moves can grow, and its rockered tips reduce edge-catch. The Splash now comes with a high-quality Sintered base to give best advancement of momentum. Our reliable Forever wood core can take on seasons to come, too.



INGREDIENTS



BI-AX FIBERGLASS



FOREVER WOODCORE



SINTERED BASE 6000



BELT FINISH



PROGRESSIVE SIDECUT



ULTIMATE TRACTION



STEEL EDGES




FACTORY WAXED




KICK STAND

SPECS




CAMROCK



TWIN

03



SOFT

STIFF

SIZE [cm]	110	120	129
NOSE LENGHT [mm]	166	192	197
RUNNING LENGHT [mm]	767	816	896
TAIL LENGHT [mm]	166	192	197
NOSE WIDTH [mm]	245	250	259
WAIST WIDTH [mm]	217	221	230
WAIST WIDTH [inch]	8.5	8.7	9.0
TAIL WIDTH [mm]	245	250	259
SIDECUT RADIUS [m]	5,0	6,0	7,0
MIN/MAX STANCE [CM]	32/40	34/42	38/50
MIN/MAX STANCE [INCH]	12.6/15.7	13.4/16.5	15/19.7
SETBACK [mm]	0	0	0
SETBACK [inch]	0	0	0
INSERTS [#]	5x2	5x2	6x2

I

N

G

R

E

D

I

E

N

T

S



WE STAND BY OUR BOARDS

While we take great pride in crafting our boards and monitoring each one, small imperfections might slip out of the factory. Recognizing this, Slash backs all of its boards with a two-year warranty against any material and manufacturing defects.

INGREDIENTS

SHAPES



PROFILES



WOOD CORES



LAYERINGS



REINFORCEMENT



SIDECUT




BASES



FINISHINGS



APPLICATIONS



A 1	TWIN
A 2	DIRECTIONAL
A 3	DIRECTIONAL TWIN
B 1	CAMBER A tried and true camber profile that offers a precise feel, predictable turns, solid edge hold, suspension and powerful pop. Traditional camber distributes weight evenly and offers a progressive flex pattern.
B 2	CAMROCK CamRock features a loaded camber section between the feet with a small flat section underfoot and rockered tips. The camber section maintains stability between the feet, while the flat areas underfoot let you load up ollies and the rockered tips offer forgiveness. This creates a very playful, easy turning board.
B 3	BACKSEAT CAMROCK The Backseat CamRock design places rocker in the nose and a slight amount in the tail with positive camber in between. This setback design delivers camber stability and control between the feet and in the tail, with the added float and manoeuvrability of the rockered nose.
C 1	FOREVER WOODCORE Constructed from four different lightweight wood species—paulownia, spruce, beech and poplar—for a premium core that offers a highly tuned and dynamic feel. It's flyweight, durable, filled with pop and highly reactive.
C 2	POP WOODCORE Arranged with premium strips of poplar for a lightweight and smooth flex with added beech hardwood stringers tip to tail through the inserts for power transfer and durability.
C 3	LIGHTWEIGHT WOODCORE Crafted with light density paulownia for lightness, poplar for responsiveness and hardwood beech stringers along the edges to increase core durability, pop and protection from edge impacts.
D 1	TRI-AX FIBERGLASS Triax fiberglass is the time-tested classic. It features a three-way weave of premium fibers with strands running at 45-degree angles. It provides superior pop, consistent torsional flex, and more overall response.
D 2	BIAX FIBERGLASS Biax fiberglass is a two-way weave of fiberglass with strands running every 90-degrees. It's more forgiving, easier to flex and highly versatile for all terrain types.
E 1	BURIED TREASURE This is our ultimate truss of carbon, Kevlar and basalt fibers. The effect is lightness because the connecting strength of fiber allows us to slim the core's thickness. With our strategic placement this gives certain liveliness to the board by adding response to the tips and leaving torsional softness between the feet.
E 2	CARBONBON Two carbon fiber stringers stretching outward from the inserts to the contact points in both the tip and the tail. Like prongs sticking outward these additives feel out rough terrain, promote pop, generate stronger edge hold and create a more playful ride.
E 3	LANDING STRIP Strips of Kevlar and carbon fiber placed from the inserts to the tips in the nose and tail to support landings and reduce washouts. This design also helps dampen high-speed chatter, offer stability at speed and load up potent allies.
F 1	PROGRESSIVE SIDECUT Our progressive sidecut design blends many radii and smooth contact points for buttery smooth turn initiation, edge-to-edge transition and edge hold. It's different for each model and matches the sidecut to the board's specific camber profile.
F 2	SINGULAR SIDECUT A predictable and powerful sidecut with a single radius that makes for consistent turns. It's ideal for intermediate and advanced riders who already know how to carve a turn, like to ride fast, and desire strong edge hold.
G 1	SINTERED BASE Our Sintered quality base is fast, durable and requires less waxing. We believe in using the best possible materials in our boards.
G 2	EXTRUDED BASE Extruded low-density running base material accepts wax well and absorbs blunt shocks extra.
H 1	BELT FINISH The belt finish gets your base optimized before it's fully waxed.
H 2	DIAMOND STONE FINISH We add a slight diamond-structured stone grind to the base to maximize glide and optimize durability. It eliminates the slow, suction cup feel that comes with one-dimensional base finishes.
H 3	WAXED All Slash boards are factory waxed with OneBallJay wax and ready to shred straight out of the wrapper.
I 1	KICK STAND Our Original Identity shape saves material and weight and also stands up without tipping over like rounded boards do!
I 2	Thin, light and surprisingly strong aluminum protectors that cap the base and edge at the tip and tail to protect the board from impacts.
I 3	S-LINE SPLIT S-Line split edges down the middle of the board are dual purpose; providing shear force when put together and added bite to the outside edge when in hike mode on icy skin tracks. Quite like our Traction Bump.
I 4	EDGES We build our edges with 35% more steel content than the average. They are simply stronger and more durable than the alternative.
I 5	ULTIMATE TRACTION This small counter radius (bump) placed in the middle of the board's sidecut improves edge hold without creating drag or strange edge grip. It adds extra bite on ice and turns regular turns into confident carves.
I 6	FLOAT INSERTS An extra set of inserts set way back for those super deep days.
I 7	RUBBER DAMPENING A vibration dampening rubber used between the steel edge and the sidewall. Absorbs impacts only to a very small degree, its main purpose is to act as an adhesion layer between the edge and sidewall to prevent the possibility of delamination.
I 8	TAPERED SHAPE The width of the nose is greater than the tail width. Tapered directional shape is usually designed to provide the best float in powder - promoting the tail to sink and the nose to rise.
I 9	3D LIFT Now in its 3rd year for the Vertical and debuting in the 22/23 ATV, 3D lift pulls the tip (and tail) of the board away from the snow. Heavier scoop in the Vertical's nose for extra float and now more subtly in the ATV's tip & tail, akin to a dog's ears, it provides more butterability and extra float.
I 10	UNION HARDWARE Top quality Union Hooks & Clips for our splitboards. Aluminium CNC Clips with Nylon Covers & Clips for an optimal connection, making two become one.
I 11	ASH WOOD TOPSHEET No Plastic but real wood topsheet.

S O F T
G O O D S

SOFT GOODS



INDEX

BLACK



POM BEANIE

BLACK



FUZZ

BLACK



LURKER

BLACK



JBMC GLOVES

BLACK



TYPE T-SHIRT

WHITE



CREW T-SHIRT

BLACK



POCKET T-SHIRT

BLACK



TEAM T-SHIRT

BROWN



TEAM HOODIE

BROWN

LINE UP



SPECTRUM



HAPPYPLACE



ATV



BRAINSTORM



VERTICAL



STRAIGHT



PORTAL



BRAINSTORM
SPLIT



VERTICAL
SPLIT



SPLASH

\$\$\$ ----- \$

LINE UP /



PARK / FREESTYLE

FREESTYLE / ALL MOUNTAIN

FREERIDE

TOURING

KIDS

BOARD	SIZE [cm]	NOSE LENGTH [mm]	RUNNING LENGTH [mm]	TAIL LENGTH [mm]	NOSE WIDTH [mm]	WAIST WIDTH [mm]	WAIST WIDTH [inch]	TAIL WIDTH [mm]	SIDECUT RADIUS [m]	Min/Max STANCE [cm]	Min/Max STANCE [inch]	SETBACK [mm]	SETBACK [inch]	INSERTS [#]
SPECTRUM	148	205	1070	205	287	247	9.7	287	7.5	49/61	19.3/24.1	0	0	6x2
	151	205	1120	205	290	249	9.8	290	7.7	49/61	19.3/24.1	0	0	6x2
	153W	205	1120	205	300	259	10.2	300	8.0	51/63	20.1/24.8	0	0	6x2
	154	210	1120	210	293	252	9.9	293	8.0	51/63	20.1/24.8	0	0	6x2
	157	215	1140	215	295	254	10.0	295	8.3	54/66	21.3/26.0	0	0	6x2
HAPPY PLACE	135	195	960	195	274	238	9.4	274	6.4	46/58	18.1/22.8	0	0	6x2
	142	195	1030	195	281	243	9.6	281	6.4	46/58	18.1/22.8	0	0	6x2
	146	195	1079	195	285	245	9.6	285	6.8	48/60	18.9/23.6	0	0	6x2
	148	195	1090	195	286	247	9.7	286	7.0	48/60	18.9/23.6	0	0	6x2
	150	210	1080	210	289	249	9.8	289	7.2	50/62	19.7/24.4	0	0	6x2
	152	210	1100	210	290	250	9.8	290	7.2	50/62	19.7/24.4	0	0	6x2
	154	210	1120	210	292	251	9.9	292	7.9	50/62	19.7/24.4	0	0	6x2
	155W	210	1130	210	300	258	10.2	300	7.9	52/64	20.5/25.2	0	0	6x2
	156	210	1140	210	294	253	10.0	294	7.9	52/64	20.5/25.2	0	0	6x2
	158	210	1160	210	296	255	10.1	296	7.9	52/64	20.5/25.2	0	0	6x2
159W	210	1170	210	302	263	10.4	302	7.9	54/66	21.3/26.0	0	0	6x2	
163W	210	1210	210	309	265	10.4	309	7.9	54/66	21.3/26.0	0	0	6x2	
BRAINSTORM	151	195	1120	195	284	247	9.7	284	7.9	50/62	19.7/24.4	15	0.6	6x2
	154	200	1140	200	286	248	9.8	286	8.0	52/64	20.5/25.2	15	0.6	6x2
	157	205	1160	205	289	250	9.8	289	8.1	52/64	20.5/25.2	15	0.6	6x2
	159W	205	1180	205	298	259	10.2	298	8.1	52/64	20.5/25.2	15	0.6	6x2
	160	200	1200	200	292	252	9.9	292	8.3	52/64	20.5/25.2	15	0.6	6x2
163W	205	1220	205	304	263	10.4	304	8.3	54/66	21.3/26.0	15	0.6	6x2	
ATV	155	210	1130	210	290	253	10	290	7.75	48/60	18.9/23.6	13	0.5	6x2
	157	210	1150	210	293	256	10.1	293	7.85	50/62	19.7/24.4	13	0.5	6x2
	159W	213	1164	213	301	264	10.4	301	7.95	52/64	20.5/25.2	13	0.5	6x2
	163W	213	1204	213	304	267	10.4	304	8.05	54/66	21.3/26.0	13	0.5	6x2
VERTICAL	151	215	1127	168	301	246	9.7	291.5	8.3	48/64	18.9/25.2	40	1.6	7x2
	157	215	1187	168	310	249	9.8	299	8.3	48/64	18.9/25.2	40	1.6	7x2
	161	215	1227	168	312	259	10.2	304.5	8.3	48/64	18.9/25.2	40	1.6	7x2
	167	215	1287	168	329	267	10.5	316	8.6	48/64	18.9/25.2	40	1.6	7x2
STRAIGHT	156	220	1140	200	288	249	9.8	288	7.9	50/62	19.7/24.4	20	0.8	6x2
	159	225	1160	205	290	251	9.9	290	8.2	52/64	20.5/25.2	20	0.8	6x2
	159W	225	1160	205	299	261	10.3	299	8.2	54/66	21.3/26.0	20	0.8	6x2
	161	220	1200	190	294	254	10	294	8.3	52/64	20.5/25.2	20	0.8	6x2
	163	230	1200	200	297	256	10.1	296	8.4	52/64	20.5/25.2	20	0.8	6x2
PORTAL	154	193	1203	150	312	255	10.0	290	7.2	52/64	20.5/25.2	50	2.0	7x2
	159	199	1236	154	321	262	10.3	298	7.4	52/64	20.5/25.2	30	1.2	7x2
BRAINSTORM SPLIT	159W	205	1180	205	298	259	10.2	298	8.1	52/64	20.5/25.2	20	0.8	Split Inserts
	162W	205	1210	205	304	263	10.4	304	8.3	54/66	21.3/26.0	20	0.8	Split Inserts
VERTICAL SPLIT	151	215	1127	168	302	248	9.8	295	8.3	49/59	19.3/23.3	40	1.6	Split Inserts
	158	215	1197	168	310	253	10.0	303	8.3	51/61	20.1/24.1	40	1.6	Split Inserts
	162	215	1237	168	315	260	10.2	308	8.3	53/63	20.9/24.9	40	1.6	Split Inserts
SPLASH	110	166	767	166	245	217	8.5	245	5.0	32/40	12.6/15.7	0	0	5x2
	120	192	816	192	250	221	8.7	250	6.0	34/42	13.4/16.5	0	0	5x2
	129	197	896	197	259	230	9.0	259	7.0	38/50	15/19.7	0	0	6x2

INTERNATIONAL DISTRIBUTOR LIST

USA

ZIA WORKS DISTRIBUTION LLC
info.ziaworksdistribution@gmail.com

CANADA

OUR HABIT SALES & DISTRIBUTION
www.ourhabit.ca

GERMANY

ELEMENT SPORTS
www.es-db.com

JAPAN

HASCO ENTERPRISES INC.
www.hasco.co.jp

NETHERLANDS

NEWSPORTS B.V
www.newsports.nl

BENELUX

NEWSPORTS BENELUX
www.newsports.nl

UK

SbG GmbH
www.slashsnow.com

KOREA

GTG Enterprise Co., LTD.
www.boardkorea.com

AUSTRIA

SbG GmbH
www.slashsnow.com

POLAND

INTERSURF
www.intersurf.pl

GREECE

MICROXTREME LTD
www.microxtreme.gr

CHINA

ENERGY MAGNIFIER DISTRIBUTION LTD
www.emdist.com

SWITZERLAND

SbG GMBH
www.slashsnow.com

FRANCE

V7 DISTRIBUTION
www.v7distribution.com

ITALY

FRIENDISTRIBUTION
www.friendistribution.it

NEW ZEALAND

ALTA QUEENSTOWN
www.alta.co.nz

AUSTRALIA

RHYTHM SNOW SPORTS
www.rhythmsnowsports.com.au

BELARUS/RUSSIA

SPORT TECHNOLOGY LTD
www.slashsnow.ru

SWEDEN

STUNTWOOD DISTRIBUTION AB
www.stuntwood.se

ARGENTINA

EXTREMO IMPORTA S.R.L
www.boardlife.com.ar

WARNING – snowboarding can be dangerous!

Slash snowboards, its distributors and retailers are neither responsible, nor liable, for any injury or accident caused by use or misuse of our products.



**PUBLISHER &
RESPONSIBLE FOR
CONTENT**

SbG

SbG+ GmbH

Christian „GiGi“ RÜF

Haldenweg 5
6858 Schwarzach
Austria

**CONCEPT DESIGN &
LAYOUT**

typeGORILLA

TYPEGORILLA

BÜRO FÜR GESTALTUNG &
KOMMUNIKATION

Colingasse 5
6020 Innsbruck
Austria

COPY

Harry Mitchell Thompson

PHOTOGRAPHY

David Tchag
Dean Blotto Gray
Theo Acworth

SLASHSNOW.COM

SLASH CUSTOMER SERVICE
pc@slashsnow.com

© 2022 | SbG+ GmbH



WWW.SLASHSNOW.COM